

Applicant: Paul William Budge
 Serial No.: 10/658,649 Attorney Docket No.: 48967-01011
 Filing Date: September 9, 2003
 For:

STRUCTURAL THERMAL FRAMING AND PANEL SYSTEM FOR
 ASSEMBLING FINISHED OR UNFINISHED WALLS WITH MULTIPLE
 COMBINATIONS FOR POURED AND NONPOURED WALLS



INFORMATION DISCLOSURE CITATIONS MADE BY APPLICANT

U.S. Patent Documents

<u>Examiner Initial*</u>	<u>Document Number</u>	<u>Issue/Publication Date</u>	<u>Name</u>	<u>Sub Class</u>	<u>Class</u>
<u>Ch.</u> 1	5,992,114	11-1999	Zelinsky/Godfredsen	52	426
<u> </u> 2	5,882,540	03-1999	Farrington	249	34
<u> </u> 3	5,809,726	09-1998	Spude	52	426
<u> </u> 4	5,704,180	01-1998	Boeck	52	426
<u> </u> 5	5,649,401	05-1997	Harrington	52	426
<u> </u> 6	5,570,552	11-1996	Nehring	52	426
<u> </u> 7	5,459,970	10-1995	Kim	52	424
<u> </u> 8	5,456,444	10-1995	Wegman	249	40
<u> </u> 9	5,390,459	02-1995	Mensen	52	426
<u> </u> 10	5,311,718	05-1994	Trousilek	52	425
<u> </u> 11	5,099,628	03-1992	Noland/Hart/Englekirk	52	426
<u> </u> 12	4,114,333	09-1978	Jones, et al.	52	265
<u> </u> 13	4,888,931	12-1989	Meilleur	52	426
<u> </u> 14	5,279,089	01-1994	Gulur	52	309.11


Examiner: Christy Green

Date Considered: 4/29/04

*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609, draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

Applicant: Paul William Budge
 Serial No.: 10/658,649 Attorney Docket No.: 48967-01011
 Filing Date: September 9, 2003

STRUCTURAL THERMAL FRAMING AND PANEL SYSTEM FOR
 ASSEMBLING FINISHED OR UNFINISHED WALLS WITH MULTIPLE
 COMBINATIONS FOR POURED AND NONPOURED WALLS



15	4,161,087	07-1979	Levesque	52	62
16	4,163,349	08-1979	Smith	52	241
17	4,720,948	01-1988	Henley, et al.	52	90
18	4,967,528	11-1990	Doran	52	309.12

Foreign Patent Documents

Examiner Initial*	Document Number	Publication Date	Country or Patent Office	Sub Class	Class	Trans- lation
N/A						

Other Documents

(including author, title, pertinent pages, etc.)

Examiner
Initial*

References Cited by Applicants

While the filing of Information Disclosure Statements is voluntary, the procedure is governed by the guidelines of Section 609 of the Manual of Patent Examining Procedure and 37 C.F.R. §§ 1.97 and 1.98. To be considered a proper Information Disclosure Statement, Form PTO-1449 shall be accompanied by a copy of each listed patent or publication or other item of information and a translation of the pertinent portions of foreign documents (if an existing translation is readily available to the applicant), an explanation of relevance of each reference not in the English language, and should be submitted in a timely manner as set out in MPEP Sec. 609.

Examiners will consider all citations submitted in conformance with 37 C.F.R. § 1.98 and MPEP Sec. 609 and place their initials adjacent the citations in the spaces provided on this form. Examiners will also initial citations not in conformance with the guidelines which may have been considered. A reference may be considered by the Examiner for any reason whether or not the citation is in full

Examiner: Charley Egan Date Considered: 11/24/03

*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609, draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

Applicant:

Paul William Budge

Serial No.:


10/658,649 Attorney Docket No.: 48967-01011

Filing Date:

September 9, 2003

For:

STRUCTURAL THERMAL FRAMING AND PANEL SYSTEM FOR
ASSEMBLING FINISHED OR UNFINISHED WALLS WITH MULTIPLE
COMBINATIONS FOR POURED AND NONPOURED WALLS



performance with the guidelines. A line will be drawn through a citation if it is not in conformance with the guidelines AND has not been considered. A copy of the submitted form, as reviewed by the Examiner, will be returned to the applicant with the next communication. The original of the form will be entered into the application file.

Each citation initialed by the Examiner will be printed on the issued patent in the same manner as references cited by the Examiner on Form PTO-892.

The reference designations "A1," "A2," etc. (referring to Applicant's reference 1, Applicant's reference 2, etc.) will be used by the Examiner in the same manner as Examiner's reference designations "A," "B," "C," etc. on Office Action Form PTO-1142.

Examiner:

Christy Green

Date Considered:

12/21/03

*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609, draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.